


FIXINGS





High Performance Anchor

Bolt Head BZP

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
AHDB1020-01	10-15/20 Safety Anchor Bolt Head BZP	15	100	20
AHDB1225-01	12-18/25 Safety Anchor Bolt Head BZP	18	120	25
AHDB1625-01	16-24/25 Safety Anchor Bolt Head BZP	24	140	25
AHDB2025-01	20-28/25 Safety Anchor Bolt Head BZP	28	160	25



Loose Nut Head BZP

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
AHDN1015-01	10-15/20 Safety Anchor Loose Nut BZP	15	114	20
AHDN1035-01	10-15/35 Safety Anchor Loose Nut BZP	15		35
AHDN1055-01	10-15/55 Safety Anchor Loose Nut BZP	15		55
AHDN1225-01	12-18/25 Safety Anchor Loose Nut BZP	18	132	25
AHDN1245-01	12-18/45 Safety Anchor Loose Nut BZP	18	152	45
AHDN1265-01	12-18/65 Safety Anchor Loose Nut BZP	18	172	65
AHDN1625-01	16-24/25 Safety Anchor Loose Nut BZP	24	154	25
AHDN1655-01	16-24/55 Safety Anchor Loose Nut BZP	24		55
AHDN1699-01	16-24/99 Safety Anchor Loose Nut BZP	24		99
AHDN2025-01	20-28/25 Safety Anchor Loose Nut BZP	28	182	25
AHDN2060-01	20-28/60 Safety Anchor Loose Nut BZP	28		60
AHDN2099-01	20-28/99 Safety Anchor Loose Nut BZP	28		99

Thread ø	Recommended Loads (kN)		Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
	Anchor Type	Embedment Depth (MM)			
M10	Bolt Head Loose Nut	70	46	11.9	19.4
					14.6
M12	Bolt Head Loose Nut	80	80	15.1	31.3
					18.6
M16	Bolt Head Loose Nut	100	195	20.6	59.8
					32.7
M20	Bolt Head Loose Nut	125	380	28.6	96.4
					51.4



Bolt Head A4 Stainless Steel

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
AHDB0845-04	08-12/45 Safety Anchor Bolt Head A4	12	80	45
AHDB1045-04	10-15/45 Safety Anchor Bolt Head A4	15	100	45
AHDB1245-04	12-18/45 Safety Anchor Bolt Head A4	18	120	45

Recommended Loads (kN)

Thread ø	Anchor Type	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M8	Bolt Head	60	23	7.6	12
M10	Bolt Head	70	46	11.9	18.9
M12	Bolt Head	80	80	15.1	27



Countersunk Head BZP

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
AHDC0816-01	08-12/16 Safety Anchor Csk Head BZP	12		16
AHDC0826-01	08-12/26 Safety Anchor Csk Head BZP	12		26
AHDC1010-01	10-14/10 Safety Anchor Csk Head BZP	14	85	10
AHDC1027-01	10-14/27 Safety Anchor Csk Head BZP	14		27
AHDC1215-01	12-18/15 Safety Anchor Csk Head BZP	18	105	15
AHDC1240-01	12-18/40 Safety Anchor Csk Head BZP	18	130	40

Recommended Loads (kN)

Thread ø	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M8	65	25	6.9	9.8
M10	75	50	10.4	16.7
M12	90	80	15	24.5



Studs For Resin Anchors

Square Cut BZP

Code	Description	Hole Dia ø (MM)	Hole Depth (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
RCS08-01	M8 x 110 Chemical Stud BZP	10	80	110	18
RCS10-01	M10 x 130 Chemical Stud BZP	12	110	150	25
RCS12-01	M12 x 160 Chemical Stud BZP	14	110	150	34
RCS16-01	M16 x 190 Chemical Stud BZP	18	125	190	45
RCS20-01	M20 x 260 Chemical Stud BZP	24	170	260	55
RCS24-01	M24 x 300 Chemical Stud BZP	28	210	300	55



Square Cut Stainless Steel A4/316

Code	Description	Hole Dia ø (MM)	Hole Depth (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
RCS08-04	M8 x 110 Chemical Stud A4	10	80	110	18
RCS10-04	M10 x 130 Chemical Stud A4	12	110	130	25
RCS12-04	M12 x 160 Chemical Stud A4	14	110	160	34
RCS16-04	M16 x 190 Chemical Stud A4	18	125	190	45
RCS20-04	M20 x 260 Chemical Stud A4	24	170	240	55
RCS24-04	M24 x 300 Chemical Stud A4	28	210	290	55



Internal Threaded Sockets BZP

Code	Description	Hole Dia ø (MM)	Hole Depth (MM)	Internal threaded Length (MM)
RCSI08-01	M8 x 90 Internal Threaded Socket BZP	14	90	25
RCSI10-01	M10 x 90 Internal Threaded Socket BZP	18	90	30
RCSI12-01	M12 x 90 Internal Threaded Socket BZP	22	90	35
RCSI16-01	M16 x 125 Internal Threaded Socket BZP	28	125	50



Internal Threaded Sockets Stainless Steel A2/304

Code	Description	Hole Dia ø (MM)	Hole Depth (MM)	Internal threaded Length (MM)
RCSI08-02	M8 x 90 Internal Threaded Socket A2	14	90	25
RCSI10-02	M10 x 90 Internal Threaded Socket A2	18	90	30
RCSI12-02	M12 x 90 Internal Threaded Socket A2	22	90	35
RCSI16-02	M16 x 125 Internal Threaded Socket A2	28	125	50



Chemical Capsules

Code	Description	Hole Dia ø (MM)	Capsule Length (MM)
RCC08	M8 Resin Capsule	10	80
RCC10	M10 Resin Capsule	12	90
RCC12	M12 Resin Capsule	14	110
RCC16	M16 Resin Capsule	18	125
RCC20	M20 Resin Capsule	25	170
RCC24	M24 Resin Capsule	28	210

Thread ø	Recommended Loads (kN)-BZP Studs		Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
	Embedment Depth (MM)				
M8	80		10	7.6	3.8
M10	90		20	12.3	6.1
M12	110		30	17.9	8.9
M16	125		60	20.1	16.9
M20	170		120	31.4	26.3
M24	280		210	45.2	37.9


Accessories For Resin Anchors

Code	Description
RCST08	M8 Setting Tool
RCST10	M10 Setting Tool
RCST12	M12 Setting Tool
RCST16	M16 Setting Tool
RCST20	M20 Setting Tool
RCST24	M24 Setting Tool
RCBOP	Blow Out Pump

Code	Description	Hole Dia ø (MM)	Length (MM)	To Suit Stud ø (MM)
RCMS12	12mm Wire Mesh Sleeve	12	1000	8
RCMS16	16mm Wire Mesh Sleeve	16	1000	10~12
RCMS22	22mm Wire Mesh Sleeve	22	1000	16
RCMS26	26mm Wire Mesh Sleeve	26	1000	20
RCPS16	16mm Perforated Sleeve (Plastic)	16	85	8~12


Shield Anchors

Loose Bolt BZP



Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ASLB0610-01	6-12/10 Shield Anchor Loose Bolt BZP	12	45	10
ASLB0625-01	6-12/25 Shield Anchor Loose Bolt BZP	12	45	25
ASLB0640-01	6-12/40 Shield Anchor Loose Bolt BZP	12	45	40
ASLB0810-01	8-14/10 Shield Anchor Loose Bolt BZP	14	55	10
ASLB0825-01	8-14/25 Shield Anchor Loose Bolt BZP	14	55	25
ASLB0840-01	8-14/40 Shield Anchor Loose Bolt BZP	14	55	40
ASLB1010-01	10-16/10 Shield Anchor Loose Bolt BZP	16	65	10
ASLB1025-01	10-16/25 Shield Anchor Loose Bolt BZP	16	65	25
ASLB1050-01	10-16/50 Shield Anchor Loose Bolt BZP	16	65	50
ASLB1075-01	10-16/75 Shield Anchor Loose Bolt BZP	16	65	75
ASLB1210-01	12-20/10 Shield Anchor Loose Bolt BZP	20	90	10
ASLB1225-01	12-20/25 Shield Anchor Loose Bolt BZP	20	90	25
ASLB1240-01	12-20/40 Shield Anchor Loose Bolt BZP	20	90	40
ASLB1260-01	12-20/60 Shield Anchor Loose Bolt BZP	20	90	60
ASLB1615-01	16-25/15 Shield Anchor Loose Bolt BZP	25	110	15
ASLB1630-01	16-25/30 Shield Anchor Loose Bolt BZP	25	110	30
ASLB1660-01	16-25/60 Shield Anchor Loose Bolt BZP	25	110	60

Projecting Bolt BZP



Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ASPB0610-01	6-12/10 Shield Anchor Projecting Bolt BZP	12	45	10
ASPB0625-01	6-12/25 Shield Anchor Projecting Bolt BZP	12	45	25
ASPB0650-01	6-12/50 Shield Anchor Projecting Bolt BZP	12	45	50
ASPB0815-01	8-14/15 Shield Anchor Projecting Bolt BZP	14	55	15
ASPB0840-01	8-14/40 Shield Anchor Projecting Bolt BZP	14	55	40
ASPB0880-01	8-14/80 Shield Anchor Projecting Bolt BZP	14	55	80
ASPB1010-01	10-16/10 Shield Anchor Projecting Bolt BZP	16	65	10
ASPB1030-01	10-16/30 Shield Anchor Projecting Bolt BZP	16	65	30
ASPB1050-01	10-16/50 Shield Anchor Projecting Bolt BZP	16	65	50
ASPB1070-01	10-16/70 Shield Anchor Projecting Bolt BZP	16	65	70
ASPB1215-01	12-20/15 Shield Anchor Projecting Bolt BZP	20	90	15
ASPB1225-01	12-20/25 Shield Anchor Projecting Bolt BZP	20	90	25
ASPB1250-01	12-20/50 Shield Anchor Projecting Bolt BZP	20	90	50
ASPB1270-01	12-20/70 Shield Anchor Projecting Bolt BZP	20	90	70
ASPB1625-01	16-25/25 Shield Anchor Projecting Bolt BZP	25	110	25

Shell Only BZP



Code	Description	Hole Dia ø (MM)	Min Hole depth (MM)
ASS06-01	6-12 Shield Anchor Shell Only BZP	12	45
ASS08-01	8-14 Shield Anchor Shell Only BZP	14	55
ASS10-01	10-16 Shield Anchor Shell Only BZP	16	65
ASS12-01	12-20 Shield Anchor Shell Only BZP	20	90
ASS16-01	16-25 Shield Anchor Shell Only BZP	25	110

Thread ø	Recommended Loads (kN)		Tensile Concrete Strength	Shear C20/25
	Embedment Depth (MM)	Max Install Torque (Nm)		
M6	40	6	2.8	2.4
M8	50	14	4.9	4.4
M10	60	27	7.8	7
M12	80	46	11	10.1
M16	100	110	18.8	18.8

Through Fixing

BZP



Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ATF06045-01	6-45 Through Fixing BZP	6	45	10
ATF06055-01	6-55 Through Fixing BZP	6	55	20
ATF06085-01	6-85 Through Fixing BZP	6	85	50
ATF08055-01	8-55 Through Fixing BZP	8	55	10
ATF08090-01	8-90 Through Fixing BZP	8	90	50
ATF08130-01	8-130 Through Fixing BZP	8	130	90
ATF10075-01	10-75 Through Fixing BZP	10	75	25
ATF10095-01	10-95 Through Fixing BZP	10	95	45
ATF12070-01	12-70 Through Fixing BZP	12	70	10
ATF12100-01	12-100 Through Fixing BZP	12	100	40
ATF12140-01	12-140 Through Fixing BZP	12	140	80
ATF12180-01	12-180 Through Fixing BZP	12	180	120
ATF12220-01	12-220 Through Fixing BZP	12	220	160
ATF16090-01	16-90 Through Fixing BZP	16	90	10
ATF16125-01	16-125 Through Fixing BZP	16	125	45
ATF16170-01	16-170 Through Fixing BZP	16	170	95
ATF20120-01	20-120 Through Fixing BZP	20	120	20
ATF20160-01	20-160 Through Fixing BZP	20	160	60
ATF20215-01	20-215 Through Fixing BZP	20	215	115

Thread ø	Recommended Loads (kN)			
	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M6	35	10	1.7	2.9
M8	40	20	2.5	5.3
M10	50	45	3.8	8.4
M12	60	65	5.5	11.3
M16	75	120	7.6	21
M20	95	180	10.3	27.3

Galvanised



Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ATF08070-03	8-70 Through Fixing Galvanised	8	70	25
ATF08090-03	8-90 Through Fixing Galvanised	8	90	50
ATF08130-03	8-130 Through Fixing Galvanised	8	130	90
ATF10075-03	10-75 Through Fixing Galvanised	10	75	25
ATF10090-03	10-95 Through Fixing Galvanised	10	95	45
ATF12100-03	12-100 Through Fixing Galvanised	12	100	40
ATF12140-03	12-140 Through Fixing Galvanised	12	140	80
ATF16100-03	16-100 Through Fixing Galvanised	16	100	20
ATF16125-03	16-125 Through Fixing Galvanised	16	125	45
ATF16175-03	16-175 Through Fixing Galvanised	16	175	95
ATF20120-03	20-120 Through Fixing Galvanised	20	120	20
ATF20160-03	20-160 Through Fixing Galvanised	20	160	60
ATF20220-03	20-220 Through Fixing Galvanised	20	220	115

Thread ø	Recommended Loads (kN)			
	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M8	40	20	2.5	5.3
M10	50	45	3.8	8.4
M12	60	65	5.5	11.3
M16	75	120	7.6	21
M20	95	180	10.3	27.3

Stainless Steel A4/316



Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ATF06055-04	6-55 Through Fixing A4	6	55	20
ATF08070-04	8-70 Through Fixing A4	8	70	30
ATF08100-04	8-100 Through Fixing A4	8	100	60
ATF08130-04	8-130 Through Fixing A4	8	130	90
ATF10060-04	10-60 Through Fixing A4	10	60	10
ATF10075-04	10-75 Through Fixing A4	10	75	15
ATF10095-04	10-95 Through Fixing A4	10	95	45
ATF10120-04	10-120 Through Fixing A4	10	120	70
ATF12080-04	12-80 Through Fixing A4	12	80	10
ATF12100-04	12-100 Through Fixing A4	12	100	40
ATF12140-04	12-140 Through Fixing A4	12	140	80
ATF16090-04	16-90 Through Fixing A4	16	90	10
ATF16125-04	16-125 Through Fixing A4	16	125	45
ATF16170-04	16-170 Through Fixing A4	16	170	90
ATF20120-04	20-120 Through Fixing A4	20	120	20
ATF20160-04	20-160 Through Fixing A4	20	160	60

Recommended Loads (kN)

Thread ø	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M6	35	10	1.7	3.1
M8	40	20	2.5	5.7
M10	50	45	3.8	9.1
M12	60	65	5.5	13.2
M16	75	120	7.6	24.5
M20	90	180	10.3	38.3

Sleeve Anchors

Loose Nut BZP




Code	Description	Hole Dia ø (MM)	Thread (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ASVN06040-01	6-40 Sleeve Anchor Loose Nut BZP	6	4.5	40	8
ASVN06066-01	6-66 Sleeve Anchor Loose Nut BZP	6	4.5	66	28
ASVN08049-01	8-49 Sleeve Anchor Loose Nut BZP	8	6	49	12
ASVN08076-01	8-76 Sleeve Anchor Loose Nut BZP	8	6	76	50
ASVN10055-01	10-55 Sleeve Anchor Loose Nut BZP	10	8	55	10
ASVN10070-01	10-70 Sleeve Anchor Loose Nut BZP	10	8	70	30
ASVN10098-01	10-98 Sleeve Anchor Loose Nut BZP	10	8	98	57
ASVN12062-01	12-62 Sleeve Anchor Loose Nut BZP	12	10	62	10
ASVN12075-01	12-75 Sleeve Anchor Loose Nut BZP	12	10	75	25
ASVN12099-01	12-99 Sleeve Anchor Loose Nut BZP	12	10	99	45
ASVN12106-01	12-106 Sleeve Anchor Loose Nut BZP	12	10	106	50
ASVN16065-01	16-65 Sleeve Anchor Loose Nut BZP	16	12	65	13
ASVN16111-01	16-111 Sleeve Anchor Loose Nut BZP	16	12	111	59
ASVN16147-01	16-147 Sleeve Anchor Loose Nut BZP	16	12	147	95
ASVN20107-01	20-107 Sleeve Anchor Loose Nut BZP	20	16	107	47
ASVN20160-01	20-160 Sleeve Anchor Loose Nut BZP	20	16	160	100

Loose Nut Stainless Steel A4/316



Code	Description	Hole Dia ø (MM)	Thread (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ASVN06040-04	6-40 Sleeve Anchor Loose Nut A4	6	4.5	40	8
ASVN06065-04	6-65 Sleeve Anchor Loose Nut A4	6	4.5	65	25
ASVN08049-04	8-49 Sleeve Anchor Loose Nut A4	8	6	49	8
ASVN08075-04	8-75 Sleeve Anchor Loose Nut A4	8	6	75	30
ASVN08085-04	8-85 Sleeve Anchor Loose Nut A4	8	6	85	50
ASVN08090-04	8-90 Sleeve Anchor Loose Nut A4	8	6	90	55
ASVN10050-04	10-50 Sleeve Anchor Loose Nut A4	10	8	50	10
ASVN10075-04	10-75 Sleeve Anchor Loose Nut A4	10	8	75	35
ASVN10100-04	10-100 Sleeve Anchor Loose Nut A4	10	8	100	60
ASVN12060-04	12-60 Sleeve Anchor Loose Nut A4	12	10	60	15
ASVN12070-04	12-70 Sleeve Anchor Loose Nut A4	12	10	70	20
ASVN12100-04	12-100 Sleeve Anchor Loose Nut A4	12	10	100	50
ASVN12125-04	12-125 Sleeve Anchor Loose Nut A4	12	10	125	75

Bolt Head BZP



Code	Description	Hole Dia ø (MM)	Thread (MM)	Anchor Length (MM)	Max Fixture Thickness (MM)
ASVB08044-01	8-44 Sleeve Anchor Bolt Head BZP	8	6	44	10
ASVB08070-01	8-70 Sleeve Anchor Bolt Head BZP	8	6	70	30
ASVB10053-01	10-53 Sleeve Anchor Bolt Head BZP	10	8	53	8
ASVB10080-01	10-80 Sleeve Anchor Bolt Head BZP	10	8	80	35
ASVB12073-01	12-73 Sleeve Anchor Bolt Head BZP	12	10	73	18
ASVB12101-01	12-101 Sleeve Anchor Bolt Head BZP	12	10	101	46
ASVB16110-01	16-110 Sleeve Anchor Bolt Head BZP	16	12	110	49

Recommended Loads (kN)					
Thread ø	Anchor Type	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M6	Bolt Head	35	9	1.9	3
M8	Bolt Head	40	20	2.7	5
M10	Bolt Head	50	40	4.3	8
M12	Bolt Head	55	70	4.5	13

Drop-In-Anchor

BZP



Code	Description	Hole Dia ø (MM)	Thread (MM)	Internal Length (MM)	Anchor Length (MM)
ARH06-01	M6 Drop in Anchor BZP	8	6	13	30
ARH08-01	M8 Drop in Anchor BZP	10	8	13	30
ARH10-01	M10 Drop in Anchor BZP	12	10	15	40
ARH12-01	M12 Drop in Anchor BZP	15	12	18	50
ARH16-01	M16 Drop in Anchor BZP	20	16	23	65
ARH20-01	M20 Drop in Anchor BZP	25	20	30	80

Thread ø	Recommended Loads (kN)			
	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M6	32	5	2.7	1.6
M8	32	10	3.4	3.2
M10	42	22	5	4.5
M12	53	36	6.8	8.7
M16	70	80	10.9	16.9

Stainless Steel A4/316



Code	Description	Hole Dia ø (MM)	Thread (MM)	Internal Length (MM)	Anchor Length (MM)
ARH06-04	M6 Drop in Anchor A4	8	6	13	30
ARH08-04	M8 Drop in Anchor A4	10	8	13	30
ARH10-04	M10 Drop in Anchor A4	12	10	15	40
ARH12-04	M12 Drop in Anchor A4	15	12	18	50
ARH16-04	M16 Drop in Anchor A4	20	16	23	62

Thread ø	Recommended Loads (kN)			
	Embedment Depth (MM)	Max Install Torque (Nm)	Tensile Concrete Strength	Shear C20/25
M6	32	5	2.3	1.8
M8	32	10	3.3	4.9
M10	42	22	4.9	7.3
M12	53	36	6.8	12.4
M16	70	80	9.9	21.4

Setting Tools



Code	Description
ARHT06	M6 Setting Tool
ARHT08	M8 Setting Tool
ARHT10	M10 Setting Tool
ARHT12	M12 Setting Tool
ARHT16	M16 Setting Tool
ARHT20	M20 Setting Tool

Scaffold Ring Bolt



Code	Description
ASRB16	M16 Scaffold Ring Bolt
CTC16-01	M16 Threaded Connector BZP

Rawlnut



Code	Description	Hole Dia ø (MM)	Thread (MM)	Anchor Length (MM)	Substrate Thickness (MM)
ARRN05	M5 Rawlnut	10	5	25	6~14
ARRN06	M6 Rawlnut	13	6	35	13~23
ARRN08	M8 Rawlnut	18	8	50	25~35
ARRN10	M10 Rawlnut	20	10	55	25~35
ARRN12	M12 Rawlnut	24	12	75	33~45

Metal Frame Anchor

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max.Fixture Thickness (MM)
AMF10072	10-72 Metal Frame Anchor	10	72	22
AMF10092	10-92 Metal Frame Anchor	10	92	42
AMF10112	10-112 Metal Frame Anchor	10	112	62
AMF10132	10-132 Metal Frame Anchor	10	132	82
AMF10152	10-152 Metal Frame Anchor	10	152	102

Anchor ø	Recommended Loads (kN)		Tensile Concrete Strength	Shear C20/25
	Embedment Depth (MM)			
10	50		0.8	0.6

Nylon Frame Anchor

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max.Fixture Thickness (MM)
ANF08100	8-100 Nylon Frame Anchor	8	100	50
ANF08140	8-140 Nylon Frame Anchor	8	140	90
ANF10075	10-75 Nylon Frame Anchor	10	75	25
ANF10100	10-100 Nylon Frame Anchor	10	100	50
ANF10120	10-120 Nylon Frame Anchor	10	120	70
ANF10140	10-140 Nylon Frame Anchor	10	140	90
ANF10165	10-165 Nylon Frame Anchor	10	165	105

Nylon Frame Fixing

Torx Head BZP

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max.Fixture Thickness (MM)
ATNF10060	10-60 Nylon Frame Fixing Torx Head	10	60	10
ATNF10080	10-80 Nylon Frame Fixing Torx Head	10	80	30
ATNF10100	10-100 Nylon Frame Fixing Torx Head	10	100	50
ATNF10115	10-115 Nylon Frame Fixing Torx Head	10	115	65
ATNF10135	10-135 Nylon Frame Fixing Torx Head	10	135	85
ATNF10160	10-160 Nylon Frame Fixing Torx Head	10	160	110
ATB30025	Torx No 30 Bit 25mm			
ATB40025	Torx No 40 Bit 25mm			

Hex Head BZP

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max.Fixture Thickness (MM)
AHNF10060	10-60 Nylon Frame Fixing Hex Head	10	60	10
AHNF10080	10-80 Nylon Frame Fixing Hex Head	10	80	30
AHNF10115	10-115 Nylon Frame Fixing Hex Head	10	115	65
AHNF10135	10-135 Nylon Frame Fixing Hex Head	10	135	85
AHNF10160	10-160 Nylon Frame Fixing Hex Head	10	160	110

Anchor ø	Recommended Loads (kN)		Tensile Concrete Strength	Shear C20/25
	Embedment Depth (MM)			
10	50		1.35	2.6

Hammerscrew

BZP



Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max.Fixture Thickness (MM)
AH05027-01	5-27 Hammerscrew BZP	5	27	1
AH05035-01	5-35 Hammerscrew BZP	5	35	5
AH05037-01	5-37 Hammerscrew BZP	5	37	5
AH06035-01	6-35 Hammerscrew BZP	6	32	5
AH06040-01	6-40 Hammerscrew BZP	6	40	10
AH06060-01	6-60 Hammerscrew BZP	6	60	25
AH06070-01	6-70 Hammerscrew BZP	6	70	40
AH06080-01	6-80 Hammerscrew BZP	6	80	45
AH08060-01	8-60 Hammerscrew BZP	8	60	12
AH08075-01	8-75 Hammerscrew BZP	8	75	30
AH08100-01	8-100 Hammerscrew BZP	8	100	60
AH08120-01	8-120 Hammerscrew BZP	8	120	80
AH08135-01	8-135 Hammerscrew BZP	8	135	100
PCCB	Plastic Cover Cap, Brown			
PCCW	Plastic Cover Cap, White			

Stainless Steel A2/304



Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max.Fixture Thickness (MM)
AH06035-02	6-35 Hammerscrew A2	6	35	5
AH06055-02	6-55 Hammerscrew A2	6	55	25
AH08055-02	8-55 Hammerscrew A2	8	55	12
AH08075-02	8-75 Hammerscrew A2	8	75	30
AH08100-02	8-100 Hammerscrew A2	8	100	60

Recommended Loads (kN)			
Anchor ø	Embedment Depth (MM)	Tensile Concrete Strength	Shear C20/25
5	24	0.15	0.5
6	28	0.25	0.8
8	39.5	0.46	0.8



Metal Hammer In's

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Max.Fixture Thickness (MM)
AHM06030-01	6-30 Metal Hammer In Alloy	6	30	1
AHM06035-01	6-35 Metal Hammer In Alloy	6	35	5
AHM06040-01	6-40 Metal Hammer In Alloy	6	40	10
AHM06050-01	6-50 Metal Hammer In Alloy	6	50	20
AHM06065-01	6-65 Metal Hammer In Alloy	6	65	35



Cavity Wall Fixings

Brolly Anchors

Code	Description	Hole Dia ø (MM)	Thread (MM)	Anchor Length (MM)	Min/Max.Fixture Thickness (MM)
ACW413-01	4-13 Cavity Wall Anchor BZP	8	4	33	6~13
ACW424-01	4-24 Cavity Wall Anchor BZP	8	4	46	10~24
ACW513-01	5-13 Cavity Wall Anchor BZP	11	5	36	6~13
ACW516-01	5-16 Cavity Wall Anchor BZP	11	5		6~18
ACW526-01	5-26 Cavity Wall Anchor BZP	11	5	60	13~26
ACW613-01	6-13 Cavity Wall Anchor BZP	13	6	34	6~13
ACW626-01	6-26 Cavity Wall Anchor BZP	13	6	60	13~26
ACWT	Cavity Wall Setting Tool				



Spring Toggle

Code	Description	Hole Dia ø (MM)	Thread (MM)	Screw Length (MM)	Min/Max.Fixture Thickness (MM)
ACT3050-01	M3 x 50 Spring Toggle	11	3	50	30
ACT5050-01	M5 x 50 Spring Toggle	14	5	50	20
ACT5075-01	M5 x 75 Spring Toggle	14	5	75	45
ACT5100-01	M5 x 100 Spring Toggle	14	5	100	70
ACT6075-01	M6 x 75 Spring Toggle	18	6	75	45



Driva Fixings

Code	Description	Min/Max.Fixture Thickness (MM)
ADM25	Metal Driva & 25mm Screw	5
ADM35	Metal Driva & 35mm Screw	12
ADM50	Metal Driva & 50mm Screw	27
ADN25	Nylon Driva & 25mm Screw	5
ADN35	Nylon Driva & 35mm Screw	12
ADT35	Toggle Driva & 35mm Screw	10
ADK200	Metal Driva 200 Kit c/w Screwdriver	12
ADMM	Metal Driva Mini	



Wedge Nuts

Suspension Anchor For Profiled Decking

Code	Description
AWD06	M6 Wedge Rib Deck 60
AWD08	M8 Wedge Rib Deck 60
AWD10	M10 Wedge Rib Deck 60
AWH06	M6 Wedge Super Hollow Rib
AWH08	M8 Wedge Super Hollow Rib
AWH10	M10 Wedge Super Hollow Rib



Wirehangers & Suspended Ceiling Accessories

Code	Description	Hole Dia ø (MM)
ACWH06	M6 Wire Hanger	6
ACWB2525-03	Ceiling Bracket 25 x 25 Galvanised	
ACWVF1	Vertical Flange Hanger	
ACWBF14	BF14 Flange Hanger	
ACWG	2mm x 200mtr Galvanised Wire	
ACWGL2	GL2 195mm Brackets Galv	
ACWGL9	GL9 295mm Brackets Galv	
ACWMFP	MF9 Ceiling Clip Galv	



Plastic Packing Shims

Code	Description
PPSS01	1mm Plastic Packing Shim 40 x 45 Small
PPSS015	1.5mm Plastic Packing Shim 40 x 45 Small
PPSS02	2mm Plastic Packing Shim 40 x 45 Small
PPSS03	3mm Plastic Packing Shim 40 x 45 Small
PPSS04	4mm Plastic Packing Shim 40 x 45 Small
PPSS05	5mm Plastic Packing Shim 40 x 45 Small
PPSS06	6mm Plastic Packing Shim 40 x 45 Small
PPSS10	10mm Plastic Packing Shim 40 x 45 Small

Also available in Large (50 x100) when ordering replace the last S for L
i.e PPSL01



Plastic Wall Plugs

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Screw Gauge
PWP05	5mm Plastic Wall Plug Yellow	5	24	4~6
PWP06	6mm Plastic Wall Plug Red	5.5/6	32	6~10
PWP07	7mm Plastic Wall Plug Brown	7	38	10~12



Nylon Wall Plugs

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Screw Gauge
NWP05	M5 Nylon Wall Plug	5	25	4-8 mm
NWP06	M6 Nylon Wall Plug	6	30	6-10 mm
NWP08	M8 Nylon Wall Plug	8	40	10-14 mm
NWP10	M10 Nylon Wall Plug	10	50	6-8mm
NWP12	M12 Nylon Wall Plug	12	60	8-10mm
NWP14	M14 Nylon Wall Plug	14	70	10-12mm



Insulation Anchors & Accessories

Universal Insulation Anchor

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Min/Max.Fixture Thickness (MM)
AISO010030	10-30 Insulation Anchor	10	60	10-30mm
AISO040060	40-60 Insulation Anchor	10	90	40-60mm
AISO070080	70-80 Insulation Anchor	10	110	70-80mm
AISO090100	90-100 Insulation Anchor	10	130	90-100mm
AISO110120	110-120 Insulation Anchor	10	150	110-120mm



Insulation Anchor A2/304 Stainless Steel

Code	Description	Hole Dia ø (MM)	Anchor Length (MM)	Min/Max.Fixture Thickness (MM)
AISO08080-02	8-80 Insulation Anchor A2	8	80	0-30mm
AISO08110-02	8-110 Insulation Anchor A2	8	110	30-60mm
AISO08140-02	8-140 Insulation Anchor A2	8	140	60-90mm
AISO08170-02	8-170 Insulation Anchor A2	8	170	90-120mm
AISO08200-02	8-200 Insulation Anchor A2	8	200	120-150mm

Larger Insulation anchors available on request

Insulation Accessories

Code	Description
AISOG	Depth Gauge
AISOFT	Fir Tree Fixing Black
AISOFTW	fir Tree Fixing White
AISOTL	Two Legged Clip
AISOW48	48mm Insulation Washer
AISOW50	50mm Insulation Washer

Larger OD Washers available on request



Tapcon

Self Tapping Masonry Anchors
(Supplied with 1 No 'D' end drill bit per box)

Code	Description	Head Type	Anchor Length (MM)	Min/Max.Fixture Thickness (MM)
ATCC48032	4.8 x 32 Tapcon	CSK	32	7
ATCC48045	4.8 x 45 Tapcon	CSK	45	20
ATCC48057	4.8 x 57 Tapcon	CSK	57	32
ATCC48070	4.8 x 70 Tapcon	CSK	70	45
ATCC48100	4.8 x 100 Tapcon	CSK	100	75
ATCC63032	6.3 x 32 Tapcon	CSK	32	7
ATCC63045	6.3 x 45 Tapcon	CSK	45	20
ATCC63057	6.3 x 57 Tapcon	CSK	57	32
ATCC63070	6.3 x 70 Tapcon	CSK	70	45
ATCC63082	6.3 x 82 Tapcon	CSK	82	57
ATCC63100	6.3 x 100 Tapcon	CSK	100	75
ATCC63125	6.3 x 125 Tapcon	CSK	125	100
ATCH48032	4.8 x 32 Tapcon	HEX	32	7
ATCH48045	4.8 x 45 Tapcon	HEX	45	20
ATCH48057	4.8 x 57 Tapcon	HEX	57	32
ATCH63032	6.3 x 32 Tapcon	HEX	32	7
ATCH63045	6.3 x 45 Tapcon	HEX	45	20
ATCH63057	6.3 x 57 Tapcon	HEX	57	32
ATCH63070	6.3 x 70 Tapcon	HEX	70	45
ATCH63082	6.3 x 82 Tapcon	HEX	82	57
ATCH63100	6.3 x 100 Tapcon	HEX	100	

Ultimate Failure Loads (kN)	Tensile Substrate	
	40N/MM ² Concrete	Typical Hollow Concrete Beam
Embedment Depth (MM)		
25	2.63	4.67*
40	5.65	9.24*
25	6	5.81*
40	11.8	10.37*

*Applicable min. Embedment depths in hollow crete beam are 27mm hollow pot and 32mm solid web.

Installation Equipment

Code	Description
ATCIK	Tapcon Installation Kit

Tek Screws

Self Drilling Timber Fix Csk Head

Code	Description	Thickness Of Base Material	Thickness To Fix	Bit
TSCC10038	10 x 38 Tek Screw Coarse Thread	1.5-3.0mm	6-22mm	PH2
TSCC10045	10 x 45 Tek Screw Coarse Thread	1.5-3.0mm	10-27mm	PH2
TSCC12050	12 x 50 Tek Screw Coarse Thread	1.5-3.0mm	13-30mm	PH3
TSCC12060	12 x 60 Tek Screw Coarse Thread	1.5-3.0mm	13-40mm	PH3
TSCC12061	12 x 61 Tek Screw Coarse Thread	1.5-3.0mm	13-40mm	PH3
TSCC12080	12 x 80 Tek Screw Coarse Thread	1.5-3.0mm	25-60mm	PH3
TSCC12100	12 x 100 Tek Screw Coarse Thread	1.5-3.0mm	45-80mm	PH3
TSCC12120	12 x 120 Tek Screw Coarse Thread	1.5-3.0mm	40-100mm	PH3
TSCF12060	12 x 60 Tek Screw Fine Thread	4.0-12.5mm	10-28mm	PH3
TSCF12080	12 x 80 Tek Screw Fine Thread	4.0-12.5mm	10-42mm	PH3
TSCF12090	12 x 90 Tek Screw Fine Thread	4.0-12.5mm	35-55mm	PH3
TSCF12109	12 x 109 Tek Screw Fine Thread	4.0-12.5mm	40-70mm	PH3

Self Drilling Steel Fix 5/16" Hexagon Head

Code	Description	Thickness Of Base Material	Effective Thread Length
TSHC10013	10 x 13 Tek Screw Coarse Thread	1.5-3.0mm	4.0mm
TSHC12020	12 x 20 Tek Screw Coarse Thread	1.5-3.0mm	6.0mm
TSHC12025	12 x 25 Tek Screw Coarse Thread	1.5-3.0mm	8.0mm
TSHC12038	12 x 38 Tek Screw Coarse Thread	1.5-3.0mm	22.0mm
TSHF12038	12 x 38 Tek Screw Fine Thread	5.0-12.5mm	12.0mm
TSHF12051	12 x 51 Tek Screw Fine Thread	5.0-12.5mm	22.0mm
TSHFW12038	12 x 38 Tek Screw Fine Thread Washered	5.0-12.5mm	12.0mm

Tek Gun & Accessories

Code	Description
TSSG110	110v Tek Screwgun Hex Head
TSBH50	50mm Magnetic Bit Holder
TSBH516	5/16" Drive Adapter

Dry Wall Screws & Accessories



Bugle Head BZP & Black

Code	Description
SDW025-01	25mm Dry Wall Screw BZP
SDW032-01	32mm Dry Wall Screw BZP
SDW038-01	38mm Dry Wall Screw BZP
SDW042-01	42mm Dry Wall Screw BZP
SDW050-01	50mm Dry Wall Screw BZP
SDW060-01	60mm Dry Wall Screw BZP
SDW075-01	75mm Dry Wall Screw BZP
SDW090-01	90mm Dry Wall Screw BZP
SDW100-01	100mm Dry Wall Screw BZP
SDW125-01	125mm Dry Wall Screw BZP



Speed Tips/Jack Points BZP

Code	Description
SDWS025-01	25mm Dry Wall Screw Self Drill BZP
SDWS035-01	35mm Dry Wall Screw Self Drill BZP
SDWS041-01	41mm Dry Wall Screw Self Drill BZP
SDWS065-01	65mm Dry Wall Screw Self Drill BZP
SDWS075-01	75mm Dry Wall Screw Self Drill BZP
SDWS100-01	100mm Dry Wall Screw Self Drill BZP
SDWS125-01	125mm Dry Wall Screw Self Drill BZP



Wafer & Pan Head Screws (Framing Screws)

Code	Description
SDWW13-01	13mm Dry Wall Wafer Head BZP
SDWWS13-01	13mm Dry Wall Wafer Head Self Drill BZP
SDWWS25-01	25mm Dry Wall Wafer Head Self Drill BZP

Dry Wall Gun & Accessories



Code	Description
EDMSG110	Makita Dry Wall Screw Gun 110v

All Dry Wall Screws available in Fine and Coarse Thread.
 We also stock a large range of Collated Screws
 in Both Fine and Coarse Thread, Sharp and Jack Point
 British Gypsum, Evolution, Powers and more available on request.
 Please ask for more details.

Chipboard Screws

Countersunk Pozi Yellow Passivated
Code

Description




SCBP30012-01	3 x 12	(4 x ½")	Chipboard Screw CSK Yellow Pass
SCBP30016-01	3 x 16	(4 x ⅝")	Chipboard Screw CSK Yellow Pass
SCBP30020-01	3 x 20	(4 x ¾")	Chipboard Screw CSK Yellow Pass
SCBP30025-01	3 x 25	(4 x 1")	Chipboard Screw CSK Yellow Pass
SCBP30030-01	3 x 30	(4 x 1¼")	Chipboard Screw CSK Yellow Pass
SCBP35012-01	3.5 x 12	(6 x ½")	Chipboard Screw CSK Yellow Pass
SCBP35016-01	3.5 x 16	(6 x ⅝")	Chipboard Screw CSK Yellow Pass
SCBP35020-01	3.5 x 20	(6 x ¾")	Chipboard Screw CSK Yellow Pass
SCBP35025-01	3.5 x 25	(6 x 1")	Chipboard Screw CSK Yellow Pass
SCBP35030-01	3.5 x 30	(6 x 1¼")	Chipboard Screw CSK Yellow Pass
SCBP35035-01	3.5 x 35	(6 x 1⅝")	Chipboard Screw CSK Yellow Pass
SCBP35040-01	3.5 x 40	(6 x 1⅞")	Chipboard Screw CSK Yellow Pass
SCBP40016-01	4 x 16	(8 x ⅝")	Chipboard Screw CSK Yellow Pass
SCBP40020-01	4 x 20	(8 x ¾")	Chipboard Screw CSK Yellow Pass
SCBP40025-01	4 x 25	(8 x 1")	Chipboard Screw CSK Yellow Pass
SCBP40030-01	4 x 30	(8 x 1¼")	Chipboard Screw CSK Yellow Pass
SCBP40035-01	4 x 35	(8 x 1⅝")	Chipboard Screw CSK Yellow Pass
SCBP40040-01	4 x 40	(8 x 1⅞")	Chipboard Screw CSK Yellow Pass
SCBP40045-01	4 x 45	(8 x 2")	Chipboard Screw CSK Yellow Pass
SCBP40050-01	4 x 50	(8 x 2¼")	Chipboard Screw CSK Yellow Pass
SCBP40060-01	4 x 60	(8 x 2½")	Chipboard Screw CSK Yellow Pass
SCBP40070-01	4 x 70	(8 x 2¾")	Chipboard Screw CSK Yellow Pass
SCBP45020-01	4.5 x 20	(9 x ¾")	Chipboard Screw CSK Yellow Pass
SCBP45025-01	4.5 x 25	(9 x 1")	Chipboard Screw CSK Yellow Pass
SCBP45030-01	4.5 x 30	(9 x 1¼")	Chipboard Screw CSK Yellow Pass
SCBP45035-01	4.5 x 35	(9 x 1⅝")	Chipboard Screw CSK Yellow Pass
SCBP45040-01	4.5 x 40	(9 x 1⅞")	Chipboard Screw CSK Yellow Pass
SCBP45045-01	4.5 x 45	(9 x 2")	Chipboard Screw CSK Yellow Pass
SCBP45050-01	4.5 x 50	(9 x 2¼")	Chipboard Screw CSK Yellow Pass
SCBP50020-01	5 x 20	(10 x ¾")	Chipboard Screw CSK Yellow Pass
SCBP50025-01	5 x 25	(10 x 1")	Chipboard Screw CSK Yellow Pass
SCBP50030-01	5 x 30	(10 x 1¼")	Chipboard Screw CSK Yellow Pass
SCBP50035-01	5 x 35	(10 x 1⅝")	Chipboard Screw CSK Yellow Pass
SCBP50040-01	5 x 40	(10 x 1⅞")	Chipboard Screw CSK Yellow Pass
SCBP50045-01	5 x 45	(10 x 2")	Chipboard Screw CSK Yellow Pass
SCBP50050-01	5 x 50	(10 x 2¼")	Chipboard Screw CSK Yellow Pass
SCBP50055-01	5 x 55	(10 x 2½")	Chipboard Screw CSK Yellow Pass
SCBP50060-01	5 x 60	(10 x 2⅞")	Chipboard Screw CSK Yellow Pass
SCBP50070-01	5 x 70	(10 x 3")	Chipboard Screw CSK Yellow Pass
SCBP50080-01	5 x 80	(10 x 3½")	Chipboard Screw CSK Yellow Pass
SCBP50090-01	5 x 90	(10 x 4")	Chipboard Screw CSK Yellow Pass
SCBP50100-01	5 x 100	(10 x 4½")	Chipboard Screw CSK Yellow Pass
SCBP60040-01	6 x 40	(12 x 1½")	Chipboard Screw CSK Yellow Pass
SCBP60045-01	6 x 45	(12 x 1⅞")	Chipboard Screw CSK Yellow Pass
SCBP60050-01	6 x 50	(12 x 2")	Chipboard Screw CSK Yellow Pass
SCBP60060-01	6 x 60	(12 x 2¼")	Chipboard Screw CSK Yellow Pass
SCBP60070-01	6 x 70	(12 x 2½")	Chipboard Screw CSK Yellow Pass
SCBP60080-01	6 x 80	(12 x 3")	Chipboard Screw CSK Yellow Pass
SCBP60100-01	6 x 100	(12 x 4")	Chipboard Screw CSK Yellow Pass
SCBP60160-01	6 x 160	(12 x 5")	Chipboard Screw CSK Yellow Pass

The above chipboard screws are also available in stainless steel.
When ordering please substitute -01 to -02, i.e SCBP30012-02.

Coach Screws

Hex Head BZP



Code	Description
SCH06030-01	6 x 30 Coach Screw Hex BZP
SCH06040-01	6 x 40 Coach Screw Hex BZP
SCH06050-01	6 x 50 Coach Screw Hex BZP
SCH06060-01	6 x 60 Coach Screw Hex BZP
SCH06070-01	6 x 70 Coach Screw Hex BZP
SCH06075-01	6 x 75 Coach Screw Hex BZP
SCH06080-01	6 x 80 Coach Screw Hex BZP
SCH06090-01	6 x 90 Coach Screw Hex BZP
SCH06100-01	6 x 100 Coach Screw Hex BZP
SCH08040-01	8 x 40 Coach Screw Hex BZP
SCH08045-01	8 x 45 Coach Screw Hex BZP
SCH08050-01	8 x 50 Coach Screw Hex BZP
SCH08060-01	8 x 60 Coach Screw Hex BZP
SCH08065-01	8 x 65 Coach Screw Hex BZP
SCH08070-01	8 x 70 Coach Screw Hex BZP
SCH08075-01	8 x 75 Coach Screw Hex BZP
SCH08080-01	8 x 80 Coach Screw Hex BZP
SCH08090-01	8 x 90 Coach Screw Hex BZP
SCH08100-01	8 x 100 Coach Screw Hex BZP
SCH08120-01	8 x 120 Coach Screw Hex BZP
SCH08150-01	8 x 150 Coach Screw Hex BZP
SCH10040-01	10 x 40 Coach Screw Hex BZP
SCH10050-01	10 x 50 Coach Screw Hex BZP
SCH10060-01	10 x 60 Coach Screw Hex BZP
SCH10065-01	10 x 65 Coach Screw Hex BZP
SCH10070-01	10 x 70 Coach Screw Hex BZP
SCH10075-01	10 x 75 Coach Screw Hex BZP
SCH10080-01	10 x 80 Coach Screw Hex BZP
SCH10090-01	10 x 90 Coach Screw Hex BZP
SCH10100-01	10 x 100 Coach Screw Hex BZP
SCH10120-01	10 x 120 Coach Screw Hex BZP
SCH10140-01	10 x 140 Coach Screw Hex BZP
SCH10150-01	10 x 150 Coach Screw Hex BZP
SCH10160-01	10 x 160 Coach Screw Hex BZP
SCH10180-01	10 x 180 Coach Screw Hex BZP
SCH10200-01	10 x 200 Coach Screw Hex BZP
SCH12080-01	12 x 80 Coach Screw Hex BZP
SCH12100-01	12 x 100 Coach Screw Hex BZP
SCH12120-01	12 x 120 Coach Screw Hex BZP
SCH12150-01	12 x 150 Coach Screw Hex BZP
SCH12200-01	12 x 200 Coach Screw Hex BZP

Also available in Stainless Steel, when ordering substitute the -01 to -02.


Woodscrews

Countersunk Pozi Twinfast BZP



Code		Description
SWPC040500-01	4 x ½"	Woodscrew Csk Pozi BZP
SWPC040625-01	4 x ⅝"	Woodscrew Csk Pozi BZP
SWPC040750-01	4 x ¾"	Woodscrew Csk Pozi BZP
SWPC041000-01	4 x 1"	Woodscrew Csk Pozi BZP
SWPC060500-01	6 x ½"	Woodscrew Csk Pozi BZP
SWPC060625-01	6 x ⅝"	Woodscrew Csk Pozi BZP
SWPC060750-01	6 x ¾"	Woodscrew Csk Pozi BZP
SWPC061000-01	6 x 1"	Woodscrew Csk Pozi BZP
SWPC061250-01	6 x 1¼"	Woodscrew Csk Pozi BZP
SWPC061500-01	6 x 1½"	Woodscrew Csk Pozi BZP
SWPC062000-01	6 x 2"	Woodscrew Csk Pozi BZP
SWPC070750-01	7 x ¾"	Woodscrew Csk Pozi BZP
SWPC071000-01	7 x 1"	Woodscrew Csk Pozi BZP
SWPC071250-01	7 x 1¼"	Woodscrew Csk Pozi BZP
SWPC071500-01	7 x 1½"	Woodscrew Csk Pozi BZP
SWPC080500-01	8 x ½"	Woodscrew Csk Pozi BZP
SWPC080625-01	8 x ⅝"	Woodscrew Csk Pozi BZP
SWPC080750-01	8 x ¾"	Woodscrew Csk Pozi BZP
SWPC081000-01	8 x 1"	Woodscrew Csk Pozi BZP
SWPC081250-01	8 x 1¼"	Woodscrew Csk Pozi BZP
SWPC081500-01	8 x 1½"	Woodscrew Csk Pozi BZP
SWPC081750-01	8 x 1¾"	Woodscrew Csk Pozi BZP
SWPC082000-01	8 x 2"	Woodscrew Csk Pozi BZP
SWPC082250-01	8 x 2¼"	Woodscrew Csk Pozi BZP
SWPC082500-01	8 x 2½"	Woodscrew Csk Pozi BZP
SWPC083000-01	8 x 3"	Woodscrew Csk Pozi BZP
SWPC100750-01	10 x ¾"	Woodscrew Csk Pozi BZP
SWPC101000-01	10 x 1"	Woodscrew Csk Pozi BZP
SWPC101250-01	10 x 1¼"	Woodscrew Csk Pozi BZP
SWPC101500-01	10 x 1½"	Woodscrew Csk Pozi BZP
SWPC101750-01	10 x 1¾"	Woodscrew Csk Pozi BZP
SWPC102000-01	10 x 2"	Woodscrew Csk Pozi BZP
SWPC102250-01	10 x 2¼"	Woodscrew Csk Pozi BZP
SWPC102500-01	10 x 2½"	Woodscrew Csk Pozi BZP
SWPC103000-01	10 x 3"	Woodscrew Csk Pozi BZP
SWPC103500-01	10 x 3½"	Woodscrew Csk Pozi BZP
SWPC104000-01	10 x 4"	Woodscrew Csk Pozi BZP
SWPC121000-01	12 x 1"	Woodscrew Csk Pozi BZP
SWPC121250-01	12 x 1¼"	Woodscrew Csk Pozi BZP
SWPC121500-01	12 x 1½"	Woodscrew Csk Pozi BZP
SWPC122000-01	12 x 2"	Woodscrew Csk Pozi BZP
SWPC122500-01	12 x 2½"	Woodscrew Csk Pozi BZP
SWPC123000-01	12 x 3"	Woodscrew Csk Pozi BZP
SWPC123500-01	12 x 3½"	Woodscrew Csk Pozi BZP
SWPC124000-01	12 x 4"	Woodscrew Csk Pozi BZP

Also available in Stainless Steel, when ordering substitute the -01 to -02.

Roundhead Pozi Twinfast BZP

Code
Description

SWPR040500-01	4 x ½"	Woodscrew Rnd Pozi BZP
SWPR040750-01	4 x ¾"	Woodscrew Rnd Pozi BZP
SWPR060500-01	6 x ½"	Woodscrew Rnd Pozi BZP
SWPR060625-01	6 x ⅝"	Woodscrew Rnd Pozi BZP
SWPR060750-01	6 x ¾"	Woodscrew Rnd Pozi BZP
SWPR061250-01	6 x 1¼"	Woodscrew Rnd Pozi BZP
SWPR061500-01	6 x 1½"	Woodscrew Rnd Pozi BZP
SWPR062000-01	6 x 2"	Woodscrew Rnd Pozi BZP
SWPR080500-01	8 x ½"	Woodscrew Rnd Pozi BZP
SWPR080625-01	8 x ⅝"	Woodscrew Rnd Pozi BZP
SWPR080750-01	8 x ¾"	Woodscrew Rnd Pozi BZP
SWPR081000-01	8 x 1"	Woodscrew Rnd Pozi BZP
SWPR081250-01	8 x 1¼"	Woodscrew Rnd Pozi BZP
SWPR081500-01	8 x 1½"	Woodscrew Rnd Pozi BZP
SWPR081750-01	8 x 1¾"	Woodscrew Rnd Pozi BZP
SWPR082000-01	8 x 2"	Woodscrew Rnd Pozi BZP
SWPR082500-01	8 x 2½"	Woodscrew Rnd Pozi BZP
SWPR083000-01	8 x 3"	Woodscrew Rnd Pozi BZP
SWPR100625-01	10 x ⅝"	Woodscrew Rnd Pozi BZP
SWPR100750-01	10 x ¾"	Woodscrew Rnd Pozi BZP
SWPR101000-01	10 x 1"	Woodscrew Rnd Pozi BZP
SWPR101250-01	10 x 1¼"	Woodscrew Rnd Pozi BZP
SWPR101500-01	10 x 1½"	Woodscrew Rnd Pozi BZP
SWPR102000-01	10 x 2"	Woodscrew Rnd Pozi BZP
SWPR102500-01	10 x 2½"	Woodscrew Rnd Pozi BZP
SWPR103000-01	10 x 3"	Woodscrew Rnd Pozi BZP
SWPR103500-01	10 x 3½"	Woodscrew Rnd Pozi BZP
SWPR104000-01	10 x 4"	Woodscrew Rnd Pozi BZP
SWPR121500-01	12 x 1½"	Woodscrew Rnd Pozi BZP
SWPR122000-01	12 x 2"	Woodscrew Rnd Pozi BZP
SWPR122500-01	12 x 2½"	Woodscrew Rnd Pozi BZP
SWPR123000-01	12 x 3"	Woodscrew Rnd Pozi BZP
SWPR123500-01	12 x 3½"	Woodscrew Rnd Pozi BZP
SWPR124000-01	12 x 4"	Woodscrew Rnd Pozi BZP

Also available in Stainless Steel, when ordering substitute the -01 to -02.

Screw Cups



Code	Description
SC06-05	No 6 Screw Cup Brass
SC08-05	No 8 Screw Cup Brass
SC10-05	No10 Screw Cup Brass
SCN06	No 6 Screw Cup Nickel
SCN08	No 8 Screw Cup Nickel
SCN10	No10 Screw Cup Nickel

Screwdriver Bits




BP125	Phillips No 1 Bit (25mm)
BP150	Phillips No 1 Bit (50mm)
BP225	Phillips No 2 Bit (25mm)
BP250	Phillips No 2 Bit (50mm)
BP325	Phillips No 3 Bit (25mm)
BP350	Phillips No 3 Bit (50mm)
BPG225	Phillips No 2 Bit Gold (25mm)
BPG325	Phillips No 3 Bit Gold (25mm)
BPO125	Pozi No 1 Bit (25mm)
BPO150	Pozi No 1 Bit (50mm)
BPO225	Pozi No 2 Bit (25mm)
BPO250	Pozi No 2 Bit (50mm)
BPO325	Pozi No 3 Bit (25mm)
BPO350	Pozi No 3 Bit (50mm)
BZG225	Pozi No 2 Bit Gold (25mm)
BZG325	Pozi No3 Bit Gold (25mm)

Screwdriver bits available up to 200mm

Self Tapping Screws

Pan Pozi BZP



Code Description

SSPP040187-01	4 x 3/16"	Self Tapper Pan Pozi BZP
SSPP040250-01	4 x 1/4"	Self Tapper Pan Pozi BZP
SSPP040312-01	4 x 5/16"	Self Tapper Pan Pozi BZP
SSPP040500-01	4 x 1/2"	Self Tapper Pan Pozi BZP
SSPP040625-01	4 x 3/8"	Self Tapper Pan Pozi BZP
SSPP040750-01	4 x 3/4"	Self Tapper Pan Pozi BZP
SSPP041000-01	4 x 1"	Self Tapper Pan Pozi BZP

SSPP060250-01	6 x 1/4"	Self Tapper Pan Pozi BZP
SSPP060312-01	6 x 5/16"	Self Tapper Pan Pozi BZP
SSPP060375-01	6 x 3/8"	Self Tapper Pan Pozi BZP
SSPP060500-01	6 x 1/2"	Self Tapper Pan Pozi BZP
SSPP060625-01	6 x 3/8"	Self Tapper Pan Pozi BZP
SSPP060750-01	6 x 3/4"	Self Tapper Pan Pozi BZP
SSPP061000-01	6 x 1"	Self Tapper pan Pozi BZP
SSPP061250-01	6 x 1 1/4"	Self Tapper Pan Pozi BZP
SSPP061500-01	6 x 1 1/2"	Self Tapper pan Pozi BZP

SSPP080312-01	8 x 5/16"	Self Tapper Pan Pozi BZP
SSPP080375-01	8 x 3/8"	Self Tapper pan Pozi BZP
SSPP080500-01	8 x 1/2"	Self Tapper Pan Pozi BZP
SSPP080625-01	8 x 3/8"	Self Tapper Pan Pozi BZP
SSPP080750-01	8 x 3/4"	Self Tapper pan Pozi BZP
SSPP081000-01	8 x 1"	Self Tapper Pan Pozi BZP
SSPP081250-01	8 x 1 1/4"	Self Tapper Pan Pozi BZP
SSPP081500-01	8 x 1 1/2"	Self Tapper Pan Pozi BZP
SSPP081750-01	8 x 1 3/4"	Self Tapper Pan Pozi BZP
SSPP082000-01	8 x 2"	Self Tapper Pan Pozi BZP

SSPP100375-01	10 x 3/8"	Self Tapper Pan Pozi BZP
SSPP100500-01	10 x 1/2"	Self Tapper Pan Pozi BZP
SSPP100625-01	10 x 3/8"	Self Tapper Pan Pozi BZP
SSPP100750-01	10 x 3/4"	Self Tapper Pan Pozi BZP
SSPP101000-01	10 x 1"	Self Tapper pan Pozi BZP
SSPP101500-01	10 x 1 1/2"	Self Tapper Pan Pozi BZP
SSPP101750-01	10 x 1 3/4"	Self Tapper Pan Pozi BZP
SSPP102000-01	10 x 2"	Self Tapper Pan Pozi BZP

SSPP120500-01	12 x 1/2"	Self Tapper Pan Pozi BZP
SSPP120625-01	12 x 3/8"	Self Tapper Pan Pozi BZP
SSPP120750-01	12 x 3/4"	Self Tapper Pan Pozi BZP
SSPP121000-01	12 x 1"	Self Tapper Pan Pozi BZP
SSPP121250-01	12 x 1 1/4"	Self Tapper Pan Pozi BZP

SSPP140500-01	14 x 1/2"	Self Tapper Pan Pozi BZP
SSPP140625-01	14 x 3/8"	Self Tapper Pan Pozi BZP
SSPP140750-01	14 x 3/4"	Self Tapper Pan Pozi BZP
SSPP141000-01	14 x 1"	Self Tapper Pan Pozi BZP
SSPP141250-01	14 x 1 1/4"	Self Tapper Pan Pozi BZP
SSPP141500-01	14 x 1 1/2"	Self Tapper Pan Pozi BZP

The above Self Tappers are also available in Stainless Steel, when ordering please substitute -01 to -02.
i.e SSPP020500-02

Countersunk Pozi BZP



Code		Description
SSCP040250-01	4 x ¼"	Self Tapper Csk Pozi BZP
SSCP040312-01	4 x 5/16"	Self Tapper Csk Pozi BZP
SSCP040375-01	4 x ¾"	Self Tapper Csk Pozi BZP
SSCP040500-01	4 x 1"	Self Tapper Csk Pozi BZP
SSCP040625-01	4 x 1 ¼"	Self Tapper Csk Pozi BZP
SSCP040750-01	4 x 1 ½"	Self Tapper Csk Pozi BZP
SSCP041000-01	4 x 2"	Self Tapper Csk Pozi BZP
SSCP060375-01	6 x ¾"	Self Tapper Csk Pozi BZP
SSCP060500-01	6 x 1"	Self Tapper Csk Pozi BZP
SSCP060625-01	6 x 1 ¼"	Self Tapper Csk Pozi BZP
SSCP060750-01	6 x 1 ½"	Self Tapper Csk Pozi BZP
SSCP061000-02	6 x 2"	Self Tapper Csk Pozi A2
SSCP061250-01	6 x 2 ¼"	Self Tapper Csk Pozi BZP
SSCP061500-01	6 x 2 ½"	Self Tapper Csk Pozi BZP
SSCP080375-01	8 x ¾"	Self Tapper Csk Pozi BZP
SSCP080500-01	8 x 1"	Self Tapper Csk Pozi BZP
SSCP080625-01	8 x 1 ¼"	Self Tapper Csk Pozi BZP
SSCP080750-01	8 x 1 ½"	Self Tapper Csk Pozi BZP
SSCP081000-01	8 x 2"	Self Tapper Csk Pozi BZP
SSCP081250-01	8 x 2 ¼"	Self Tapper Csk Pozi BZP
SSCP081500-01	8 x 2 ½"	Self Tapper Csk Pozi BZP
SSCP082000-01	8 x 3"	Self Tapper Csk Pozi BZP
SSCP100500-01	10 x 1 ½"	Self Tapper Csk Pozi BZP
SSCP100625-01	10 x 1 ¾"	Self Tapper Csk Pozi BZP
SSCP100750-01	10 x 2"	Self Tapper Csk Pozi BZP
SSCP101000-01	10 x 2 ¼"	Self Tapper Csk Pozi BZP
SSCP101250-01	10 x 2 ½"	Self Tapper Csk Pozi BZP
SSCP101500-01	10 x 3"	Self Tapper Csk Pozi BZP
SSCP101750-01	10 x 3 ¼"	Self Tapper Csk Pozi BZP
SSCP102000-01	10 x 3 ½"	Self Tapper Csk Pozi BZP
SSCP121000-01	12 x 1"	Self Tapper Csk Pozi BZP
SSCP121250-01	12 x 1 ¼"	Self Tapper Csk Pozi BZP
SSCP121500-01	12 x 1 ½"	Self Tapper Csk Pozi BZP
SSCP122000-01	12 x 2"	Self Tapper Csk Pozi BZP
SSCP141500-01	14 x 1 ½"	Self Tapper Csk Pozi BZP
SSCP141750-01	14 x 1 ¾"	Self Tapper Csk Pozi BZP

Masonry Nails

Light Gauge (2.5mm Dia ø)



Code	Description
NML022	22 x 2.5 Masonry Nail
NML025	25 x 2.5 Masonry Nail
NML030	30 x 2.5 Masonry Nail
NML035	35 x 2.5 Masonry Nail
NML040	40 x 2.5 Masonry Nail
NML050	50 x 2.5 Masonry Nail
NML055	55 x 2.5 Masonry Nail
NML060	60 x 2.5 Masonry Nail
NML065	65 x 2.5 Masonry Nail
NML070	70 x 2.5 Masonry Nail

Medium Gauge (3.0mm Dia ø)



Code	Description
NMM022	22 x 3.0 Masonry Nail
NMM025	25 x 3.0 Masonry Nail
NMM030	30 x 3.0 Masonry Nail
NMM035	35 x 3.0 Masonry Nail
NMM040	40 x 3.0 Masonry Nail
NMM045	45 x 3.0 Masonry Nail
NMM050	50 x 3.0 Masonry Nail
NMM055	55 x 3.0 Masonry Nail
NMM060	60 x 3.0 Masonry Nail
NMM065	65 x 3.0 Masonry Nail
NMM070	70 x 3.0 Masonry Nail
NMM075	75 x 3.0 Masonry Nail
NMM080	80 x 3.0 Masonry Nail
NMM085	85 x 3.0 Masonry Nail

Heavy Gauge (3.5mm Dia ø)



Code	Description
NMH025	25 x 3.5 Masonry Nail
NMH030	30 x 3.5 Masonry Nail
NMH035	35 x 3.5 Masonry Nail
NMH040	40 x 3.5 Masonry Nail
NMH045	45 x 3.5 Masonry Nail
NMH050	50 x 3.5 Masonry Nail
NMH055	55 x 3.5 Masonry Nail
NMH060	60 x 3.5 Masonry Nail
NMH065	65 x 3.5 Masonry Nail
NMH070	70 x 3.5 Masonry Nail
NMH075	75 x 3.5 Masonry Nail
NMH080	80 x 3.5 Masonry Nail
NMH085	85 x 3.5 Masonry Nail
NMH090	90 x 3.5 Masonry Nail
NMH100	100 x 3.5 Masonry Nail

Washed Nail



Code	Description
NMW20	20m Masonry Nail & Washer
NMW30	30m Masonry Nail & Washer

Wire Nails

Round Wire Nails

Code	Description
NARW050	50mm Round Wire Nail Bright (kg)
NARW065	65mm Round Wire Nail Bright (kg)
NARW075	75mm Round Wire Nail Bright (kg)
NARW100	100mm Round Wire Nail Bright (kg)
NARW050-03	50mm Round Wire Nail Galvanised (kg)
NARW065-03	65mm Round Wire Nail Galvanised (kg)
NARW075-03	75mm Round Wire Nail Galvanised (kg)
NARW100-03	100mm Round Wire Nail Galvanised (kg)

Lost Head

Code	Description
NALH065	65mm Lost Head Nail Bright (kg)

Clout Nail

Code	Description
NAC020-03	20mm Clout Nail Galvanised (kg)
NAC030-03	30mm Clout Nail Galvanised (kg)
NAC040-03	40mm Clout Nail Galvanised (kg)
NAC050-03	50mm Clout Nail Galvanised (kg)
NACL030-03	30mm Clout Nail Galvanised Large Head (kg)
NACL040-03	40mm Clout Nail Galvanised Large Head (kg)

Ovals

Code	Description
NAO040	40mm Oval Nail Bright (kg)
NAO050	50mm Oval Nail Bright (kg)
NAO075	75mm Oval Nail Bright (kg)
NAO100	100mm Oval Nail Bright (kg)

Annular Ring Shank

Code	Description
NARS65	65mm Annular Ring Shank Bright (kg)
NARS30-02	30mm Annular Ring Shank Stainless Steel (kg)
NARS40-02	40mm Annular Ring Shank Stainless Steel (kg)
NARS50-02	50mm Annular Ring Shank Stainless Steel (kg)
NARS50-03	50mm Annular Ring Shank Sheradised (kg)
NARS65-03	65mm Annular Ring Shank Sheradised (kg)

Panel Pins

Code	Description
NAP025	25mm Panel Pin Bright (kg)
NAP030	30mm Panel Pin Bright (kg)
NAP040	40mm Panel Pin Bright (kg)
NAP050	50mm Panel Pin Bright (kg)

Square Twist

Code	Description
NAST030-03	30mm Square Twisted Nail Galvanised (kg)
NAST040-03	40mm Square Twisted Nail Galvanised (kg)

NOTES



T 0121 744 9150
F 0121 733 3599
E sales@rite-fix.co.uk
W www.rite-fix.co.uk